

Exported Listing



Bell 412EP

Contact Seller For Price

Manufacturer	Bell
Category	n/a
Configuration	Other
Year	1995
Time	7095
Price	n/a
Serial Number	n/a
Registration Number	n/a





For inquires you can reach the seller at:

Email Address: sales@rotortrade.com | Phone Number: +1 818-686-2463

Description

YOM August 1995 Total time 7,095 hours/7,431 landings Configuration Multirole Engine 2x PT6T-3DF Flight rule SP/DP IFR Registration FAA Empty weight 3,541 kgs MTOW 5,397 kgs Crew/passengers 2 crew/13 passengers Empty weight 3,541 kgs MTOW 5,397 kgs Highlights •4,500 lbs/2,041 kgs cargo hook fixed parts •DART Simplex 375 gallon fire tank fixed parts •Litter fixed parts •600 lbs/272 kgs hoist fixed parts •SX16 search light fixed parts •Cargo mirror fixed parts •Wire strike protection system •TCAS II, GPWS •3 axis dual digital AFCS •Satellite tracking and communication •Air conditioning

Avionics

- •3 axis dual digital AFCS
- •NAV/COM x2
- •VHF VOR/LOC 108-118 MHz x2
- DME
- ADF Bendix King
- •Marker receiver 75 MHz
- Transponder with altitude reporting transmitter
- •Audio amplifier for COMM and NAV audio
- •Turn indicator
- Artifical horizon x2
- Slaved direction gyro
- •Altimeters with barometric scales in milibars x2
- •Chronometer x2
- Airspeed indicator x2
- •Inertial lead vertical speed indicator x2
- •Alternate static source
- •ELT 406 MHz
- •Weather radar
- •TCAS II
- •GPWS
- Radio altimeter
- •Multi channel SSB HF 1-21 MHz
- Dual GPS coupled to HSI

For inquires you can reach the seller at:

Email Address: sales@rotortrade.com | Phone Number: +1 818-686-2463

- Satellite tracking and communication
- •NAT audio panel AMS 43 & AMS 44

Equipment

- •4,500 lbs/2,041 kgs cargo hook fixed parts
- •DART Simplex 375 gallon fire tank fixed parts
- Litter fixed parts
- •600 lbs/272 kgs hoist fixed parts
- SX16 search light fixed parts
- •Wide opening doors accomodating forklift loading
- •Cabin flat floor with 51 cargo restraint points
- •Additional baggage space in tail boom 0.8 m^3
- Landing light x2
- •Dimmer for instrument light
- Passengers compartment light
- •Seats and anchor points capable of lied stresses up to 9 "G"
- Cargo mirror fixed parts
- •Wire strike protection system
- •LED pulse lights
- •First aid kit
- Air conditioning

The descriptions and/or specifications provided are for introductory information only and do not imply any warranties or representations. The Purchaser is responsible for verification of specifications upon inspection. The Helicopter is offered subject to prior sale, lease or withdrawal from the market without prior notice.